



SEATAC PASSENGER TERMINAL

IWTP

NOT PORT MAINTAINED



ALASKA HANGER ONE




SOUTH SATELLITE


CONCOURSE 'B'

CENTRAL TERMINAL

CONCOURSE 'C'



NORTH SATELLITE



MAIN TERMINAL

CONCOURSE 'D'

FIRE STATION



AIR CARGO IV



DELTA FREIGHT FACILITY

MAJOR ROOF AREAS	SQUARE FOOT
Concourse-A	291,259
Concourse-B	86,377
Concourse-C	82,112
Concourse-D	72,100
North Satellite	86,200
South Satellite	94,956
Main Terminal	192,148
Air Cargo IV	73,388
Alaska Hanger One	69,222
Central Terminal	51,340
IWTP	5,848
C-1 Bag Wall	46,150
Delta Freight Facility	34,220
Fire Station	19,865

AREA	Year Installed	System Type
Concourse 'B' and Concourse 'C' - #1	1991	1
Concourse 'D' Section B, Truss E, J & Penthouse	1991	1
Main Terminal (M-1, M-2, M-3) & Penthouse (MP-1, MP-4&5)	1993	2
Concourse 'C' - Sections F & G Main Term: M-2 & Penthouse MP-2,3	1994	3
North Satellite A, Concourse 'D' Section H	1996	4
Main Terminal: S-1, S-2, S-3 & Penthouse MP-5	1996	5
Alaska Inland Term: H-1 & North Satellite (NE-1 & NE-2)	2003	6
Concourse 'A' Section A-1	2004	7
South Satellite: Sections A, A-2, A-3, B & D	2006	8
Central Terminal: C-2, C-3, C-4, D-1, D-2, D-3	2006	9
C-1 Bag Wall - #1	2006	10
Air Cargo Four - #1	2006	11
British Air Lounge South Satellite Section C	2007	12
Central Terminal: C-2 Truss, C-1 & Concourse 'D' Section A	2008	13
Delta Ware House - #1	1990	BLR
IWTP - #1	1992	BLR
Alaska Hanger One - #1	1990	BLR
Fire Station - #1	1990	BLR
Seattle Children School	2000	SPM

BLR= Built-up Asphalt Roofing
SPM= Single Ply Elastomeric Membrane Roofing

SYSTEMS TYPES

- 45 mil "Trocen" PVC mechanically attached over light weight insulation over 22 GA. metal deck installed by Snyder Roofing completed in 1991, 10 year warranty.
- 65 mil "Gardol" PVC fully adhered over 3" rigid insulation over lt. wt. insulating over 22 GA. mil. deck installed by Snyder roofing in 1993, 15 year warranty.
- Same as #2 installed by South End Roofing in 1994, 15 year warranty.
- Same as #2, installed by Snyder Roofing in 1995, 15 year warranty.
- 65 mil "Same" PVC installed same as #2, installed by Waynes Roofing in 1995, 15 year warranty.
- 65 mil "Same" PVC fully adhered over tapered Insul over 22 GA. mil. deck installed by Queen City in 2003, 15 year warranty.
- 65 mil "John Mansville" PVC fully adhered over tapered rigid Insul over 22 GA. mil. deck, and/or structural concrete installed by Wayne's roofing in 2004, 15 year warranty.
- 65 mil "John Mansville" PVC fully adhered over tapered rigid Insul over structural concrete & LLWL Insul. Installed by SQI Roofing in 2008, 15 year warranty.
- 65 mil "John Mansville" PVC fully adhered over tapered rigid Insul over 22 GA. mil. deck, and/or structural conc. installed by Wayne's roofing in 2006, 15 year warranty.
- 65 mil "John Mansville" PVC fully adhered over tapered rigid Insul over 22 GA. mil. deck, installed by GR roofing in 2006, 15 year warranty.
- 65 mil "John Mansville" PVC mechanically attached over rigid Insul over 22 GA. mil. deck, installed by GR roofing in 2006, 15 year warranty.
- 65 mil "John Mansville" PVC fully adhered over tapered rigid Insul over 22 GA. mil. deck installed by Queen City in 2003, 15 year warranty.
- 65 mil "John Mansville" PVC fully adhered over tapered rigid Insul over structural concrete & LLWL Insul. Installed by SQI Roofing in 2008, 15 year warranty.

Index to Color Coding

	Areas to be Reroofed in 2011
	Areas to be Reroofed in 2012
	Areas to be Reroofed in 2013
	Areas to be Reroofed in 2014
	Areas to be Reroofed in 2015
	Areas to be Reroofed in 2016
	Areas to be Reroofed beyond 2017



PROJECT ENGINEER:
DESIGN BY:
SCALE:
DATE:
CHECKED BY:
APPROVED BY:

REVISIONS			
NO.	DATE	BY	DESCRIPTION

PROJECT ENGINEER:
DESIGN BY:
SCALE:
DATE:
CHECKED BY:
APPROVED BY:

Part of Seattle
SEA-TAC INTERNATIONAL AIRPORT
PROJECT:
SHEET TITLE:

WORK ORDER NO.
CONSOLIDATION NO.
PART OF SEATTLE NO.